

**Pure & Cure Healthcare Pvt. Ltd.**Plot No. 26A-30, Sector-8A, I.I.E., SIDCUL, Ranipur  
Haridwar-249403, Uttarakhand, INDIA.**QUALITY CONTROL****CERTIFICATE OF ANALYSIS****(FINISHED PRODUCT)**

<b>Product Name :</b>	HYDROSEAL GEL		
<b>Generic Name :</b>	Amorphous Hydrogel Wound Dressing with Colloidal Silver		
<b>Mfg. Lic. No. :</b>	31/UA/2013	<b>Market:</b>	DOMESTIC
<b>Batch No. :</b>	PA2BJ01	<b>A. R. No.:</b>	F20231029061
<b>Mfg. Date :</b>	Oct. 2023	<b>Pack Size:</b>	1x15 Gm
<b>Expiry date:</b>	Mar. 2025	<b>Pack Type:</b>	Lami tube (Sale)
<b>Batch Size :</b>	9667 NOS	<b>Sampled On:</b>	29/10/23
<b>Product Code :</b>	40064033	<b>Sample Quantity:</b>	12 NOS
<b>Specification No, Ver No.:</b>	STS/FP/40064033-00	<b>Sampled By:</b>	KAVIRAJ SINGH
<b>Ref. STP No. , Ver No.:</b>	STP/FP/1398	<b>Analyzed By:</b>	PAWAN KUMAR
<b>Manufactured For :</b>	Healing Pharma India Pvt. Ltd.	<b>Date of Analysis:</b>	30/10/23
<b>Manufactured By :</b>	Pure & Cure Healthcare Pvt. Ltd.	<b>Analysis Completion Date:</b>	07/11/23

S.No.	TEST	ACCEPTANCE CRITERIA	RESULTS
1	Description	A light brown transparent gel filled in lami tube.	A light brown transparent gel filled in lami tube.
2	Identification	Positive for Colloidal Silver, Propylene Glycol, Triethanolamine & Carbomer.	Complies
3	Average fill weight	Not less than 15.0 g	15.06 g
4	Uniformity of weight	Not less than 90.0% of labelled amount.	100.0% and 100.6%
5	pH	Between 4.5 and 8.5	5.81
6	Microbiological test	As below	As below
a.	Total aerobic count	Not more than 100 cfu/g	Less than 10 cfu /g
b.	Total fungal count	Not more than 10 cfu/g	Less than 10 cfu /g

	Prepared By QC	Reviewed By QC	Approved By QC
<b>Date</b>	07/11/23	07/11/23	07/11/23
<b>Name</b>	SACHIN KUMAR SHARMA	NAVEEN	RAJESHWAR SINGH
<b>Designation</b>	ASST. OPERATOR	ASST. MANAGER	DY. MANAGER

This is an electronically signed document, hence does not require any signatures

QA REVIEWED Name : NITIN KUMAR ; Date : 07/11/2023
-------------------------------------------------------

**Pure & Cure Healthcare Pvt. Ltd.**Plot No. 26A-30, Sector-8A, I.I.E., SIDCUL, Ranipur  
Haridwar-249403, Uttarakhand, INDIA.**QUALITY CONTROL****CERTIFICATE OF ANALYSIS****(FINISHED PRODUCT)**

<b>Product Name :</b>	HYDROSEAL GEL		
<b>Generic Name :</b>	Amorphous Hydrogel Wound Dressing with Colloidal Silver		
<b>Mfg. Lic. No. :</b>	31/UA/2013	<b>Market:</b>	DOMESTIC
<b>Batch No. :</b>	PA2BJ01	<b>A. R. No.:</b>	F20231029061
<b>Mfg. Date :</b>	Oct. 2023	<b>Pack Size:</b>	1x15 Gm
<b>Expiry date:</b>	Mar. 2025	<b>Pack Type:</b>	Lami tube (Sale)
<b>Batch Size :</b>	9667 NOS	<b>Sampled On:</b>	29/10/23
<b>Product Code :</b>	40064033	<b>Sample Quantity:</b>	12 NOS
<b>Specification No, Ver No.:</b>	STS/FP/40064033-00	<b>Sampled By:</b>	KAVIRAJ SINGH
<b>Ref. STP No. , Ver No.:</b>	STP/FP/1398	<b>Analyzed By:</b>	PAWAN KUMAR
<b>Manufactured For :</b>	Healing Pharma India Pvt. Ltd.	<b>Date of Analysis:</b>	30/10/23
<b>Manufactured By :</b>	Pure & Cure Healthcare Pvt. Ltd.	<b>Analysis Completion Date:</b>	07/11/23

S.No.	TEST	ACCEPTANCE CRITERIA		RESULTS
c.	Pathogens	As below		As below
c.1	Pseudomonas aeruginosa	Should be absent /g		Absent /g
c.2	Staphylococcus aureus	Should be absent/g		Absent/g
7	Leakage test	No leakage should be observed.		Complies
8	Assay	<b>Shelf Life Limit</b>	<b>Release Limit</b>	
a.	Colloidal Silver - 32 ppm	NLT 28.80ppm to NMT 40.00ppm  (NLT 90.00% to NMT125.00% of label claimed)	NLT 28.80ppm to NMT 40.00ppm  (NLT 90.00% to NMT125.00% of label claimed)	33.03ppm 103.22%

	<b>Prepared By QC</b>	<b>Reviewed By QC</b>	<b>Approved By QC</b>
<b>Date</b>	07/11/23	07/11/23	07/11/23
<b>Name</b>	SACHIN KUMAR SHARMA	NAVEEN	RAJESHWAR SINGH
<b>Designation</b>	ASST. OPERATOR	ASST. MANAGER	DY. MANAGER

This is an electronically signed document, hence does not require any signatures

QA REVIEWED Name : NITIN KUMAR ; Date : 07/11/2023
-------------------------------------------------------

**Pure & Cure Healthcare Pvt. Ltd.**Plot No. 26A-30, Sector-8A, I.I.E., SIDCUL, Ranipur  
Haridwar-249403, Uttarakhand, INDIA.**QUALITY CONTROL****CERTIFICATE OF ANALYSIS****(FINISHED PRODUCT)**

<b>Product Name :</b>	HYDROSEAL GEL		
<b>Generic Name :</b>	Amorphous Hydrogel Wound Dressing with Colloidal Silver		
<b>Mfg. Lic. No. :</b>	31/UA/2013	<b>Market:</b>	DOMESTIC
<b>Batch No. :</b>	PA2BJ01	<b>A. R. No.:</b>	F20231029061
<b>Mfg. Date :</b>	Oct. 2023	<b>Pack Size:</b>	1x15 Gm
<b>Expiry date:</b>	Mar. 2025	<b>Pack Type:</b>	Lami tube (Sale)
<b>Batch Size :</b>	9667 NOS	<b>Sampled On:</b>	29/10/23
<b>Product Code :</b>	40064033	<b>Sample Quantity:</b>	12 NOS
<b>Specification No, Ver No.:</b>	STS/FP/40064033-00	<b>Sampled By:</b>	KAVIRAJ SINGH
<b>Ref. STP No. , Ver No.:</b>	STP/FP/1398	<b>Analyzed By:</b>	PAWAN KUMAR
<b>Manufactured For :</b>	Healing Pharma India Pvt. Ltd.	<b>Date of Analysis:</b>	30/10/23
<b>Manufactured By :</b>	Pure & Cure Healthcare Pvt. Ltd.	<b>Analysis Completion Date:</b>	07/11/23

S.No.	TEST	ACCEPTANCE CRITERIA		RESULTS
b.	Propylene Glycol IP - 4.96 %w/w	NLT 4.46% w/w to NMT 5.46% w/w  (NLT 90.00% to NMT110.00% of label claimed)	NLT 4.46% w/w to NMT 5.46% w/w  (NLT 90.00% to NMT110.00% of label claimed)	4.95% w/w 99.80%
c.	Triethanolamine BP - 0.32 %w/w	NLT 0.288% w/w to NMT 0.352% w/w  (NLT 90.00% to NMT110.00% of label claimed)	NLT 0.288% w/w to NMT 0.352% w/w  (NLT 90.00% to NMT110.00% of label claimed)	0.318% w/w 99.38%

	Prepared By QC	Reviewed By QC	Approved By QC
<b>Date</b>	07/11/23	07/11/23	07/11/23
<b>Name</b>	SACHIN KUMAR SHARMA	NAVEEN	RAJESHWAR SINGH
<b>Designation</b>	ASST. OPERATOR	ASST. MANAGER	DY. MANAGER

This is an electronically signed document, hence does not require any signatures

QA REVIEWED Name : NITIN KUMAR ; Date : 07/11/2023
-------------------------------------------------------

**Pure & Cure Healthcare Pvt. Ltd.**Plot No. 26A-30, Sector-8A, I.I.E., SIDCUL, Ranipur  
Haridwar-249403, Uttarakhand, INDIA.**QUALITY CONTROL****CERTIFICATE OF ANALYSIS****(FINISHED PRODUCT)**

<b>Product Name :</b>	HYDROSEAL GEL		
<b>Generic Name :</b>	Amorphous Hydrogel Wound Dressing with Colloidal Silver		
<b>Mfg. Lic. No. :</b>	31/UA/2013	<b>Market:</b>	DOMESTIC
<b>Batch No. :</b>	PA2BJ01	<b>A. R. No.:</b>	F20231029061
<b>Mfg. Date :</b>	Oct. 2023	<b>Pack Size:</b>	1x15 Gm
<b>Expiry date:</b>	Mar. 2025	<b>Pack Type:</b>	Lami tube (Sale)
<b>Batch Size :</b>	9667 NOS	<b>Sampled On:</b>	29/10/23
<b>Product Code :</b>	40064033	<b>Sample Quantity:</b>	12 NOS
<b>Specification No, Ver No.:</b>	STS/FP/40064033-00	<b>Sampled By:</b>	KAVIRAJ SINGH
<b>Ref. STP No. , Ver No.:</b>	STP/FP/1398	<b>Analyzed By:</b>	PAWAN KUMAR
<b>Manufactured For :</b>	Healing Pharma India Pvt. Ltd.	<b>Date of Analysis:</b>	30/10/23
<b>Manufactured By :</b>	Pure & Cure Healthcare Pvt. Ltd.	<b>Analysis Completion Date:</b>	07/11/23

S.No.	TEST	ACCEPTANCE CRITERIA		RESULTS
d.	Carbomer IP - 0.76 % w/w	NLT 0.684% w/w to NMT 0.836% w/w  (NLT 90.00% to NMT110.00% of label claimed)	NLT 0.684% w/w to NMT 0.836% w/w  (NLT 90.00% to NMT110.00% of label claimed)	0.749% w/w 98.55%

**CONCLUSION :** The Finished Product complies as per IH Specifications.

	<b>Prepared By QC</b>	<b>Reviewed By QC</b>	<b>Approved By QC</b>
<b>Date</b>	07/11/23	07/11/23	07/11/23
<b>Name</b>	SACHIN KUMAR SHARMA	NAVEEN	RAJESHWAR SINGH
<b>Designation</b>	ASST. OPERATOR	ASST. MANAGER	DY. MANAGER

This is an electronically signed document, hence does not require any signatures

QA REVIEWED Name : NITIN KUMAR ; Date : 07/11/2023
-------------------------------------------------------